

# Kampa



## **PortaFlush 10 & 20** **Care & Use Manual**

Please read before use and retain for future reference

The toilet comprises of two detachable tanks that are easy to connect and disconnect from each other. The top section is a combined freshwater tank and toilet bowl, with a toilet seat and lid. The lower section is the waste holding tank.

This toilet is designed to be used with a proprietary toilet chemical specifically designed for use in portable toilets. These products are readily available in camping and caravanning shops. Always follow the manufacturers instructions.

## PREPARATION FOR USE

- Disconnect the two parts by sliding the locking lever to the right whilst simultaneously pulling the two parts apart.



- Stand the waste tank upright and remove the cap. Following the manufacturers instructions, fill the waste tank with the required amount of toilet chemical and water. The Portaflush 10 has a 10 litre waste tank and the PortaFlush 20 has a 20 litre waste tank
- Replace the filler cap.



- Remove the filler cap on the top section and fill with freshwater. If required a rinse chemical can be added to the fresh water. Always follow the manufacturers instructions. Never use toilet waste chemical in the top freshwater tank as it can damage the seals. Refit the filler cap.



- Reconnect the two sections by placing the top section squarely on top of the bottom section and reconnecting the two latches securely.



## USE

- With the toilet lid closed, open the slide valve. This will release any pressure that may have built up from heat or altitude (If you are transporting the toilet over widely varying altitudes then it may be preferable to travel with the valve slightly open and the lid closed).



- Flush some water in to the toilet by pressing on the bellows pump.
- The toilet may be used with the valve open or closed. To open the valve, pull the valve handle away from the toilet. After use, open the valve (if closed) and flush the toilet by pushing down on the bellows. Three or four short flushes are normally more effective than a long continual flush. Shut the valve by pushing the handle in.



## EMPTYING

Only empty a toilet at an authorised disposal point or in to a normal toilet.

- Disconnect the waste tank from the freshwater tank and stand it upright.
- Remove the cap and empty the waste tank.
- Wash the tank out with fresh water and prepare the toilet for use (if required).



## **STORAGE**

If the toilet is not being used for an extended period then the following procedure should be followed:

- Empty the fresh water tank.
- Press the bellows several times until no water remains in the flush mechanism.
- Empty and clean the waste tank
- Do not replace the filler/emptying caps and leave the valve open
- Allow the toilet to dry

## **CLEANING AND MAINTENANCE**

NEVER use household cleaners (bleach, solvents or other powerful agents). These may cause permanent damage to the toilet.

- The toilet can be cleaned with a damp cloth and, if necessary, a suitable plastic cleaner. Do not use an abrasive cleaner as this will scratch the surface.
- Buff with a dry cloth
- Clean the seals and the valve blade and, if necessary, lubricate with a seal lubricant (available from camping and caravan shops).

The valve seal is a part that is subject to wear and tear. Depending upon use it, it will need to be replaced when it starts to become ineffective.

## **WINTER USE**

For winter use it is possible to purchase portable toilet antifreeze. Please see your camping or caravan dealer for more information. It is important that antifreeze is added to the freshwater tank when freezing conditions are expected.

Only use antifreeze designed for portable toilets. **DO NOT** use car or any other type of antifreeze as this may permanently damage the toilet.

## **SAFETY**

- Do not allow children to play with the toilet
- Do not lean back against the toilet lid
- Keep upright, do not tip upside down or allow the toilet to tip over
- Keep away from sharp objects that could pierce the tanks.

## **SPARE PARTS**

Spare parts are available for purchase. Please see your dealer for more details.



**Kampa UK Limited**  
CM8 3NF